GARDEN CUTTING TOOLS

HANGZHOU FLOURISH TOOLS LTD.

Your Garden & Your Life



Email: juana@hzflourish.com

Mobile: +86 13757157075

GARDEN CUTTING TOOLS

FL-RC120B



1: 65Mn High carbon steel Cutting blade with Teflon coating, heat treatment HRC54+/-2
2: 50C carbon steel lower blade with chrome plated, heat treatment HRC46+/-2
3: Nylon+ 30% fiber Anvil.
4: PP+15% fiber strong grip with TPR cushion.
5: ABS lock.
6: Product size: 22mm*61mm*208mm
7: Product weight: 178g+/-5%
8: Max. cutting capacity 20mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*32CM
CBM:0.04m³

MOQ: 1000 PCS

FL-RC120A



1: 65Mn High carbon steel Cutting blade with Teflon coating, heat treatment HRC54+/-2
2: 50C carbon steel lower blade with chrome plated, heat treatment HRC46+/-2 3: PP+15% fiber strong grip with TPR cushion.
5: ABS lock.
6: Product size: 22mm*61mm*208mm
7: Product weight: 176g+/-5%
8: Max. cutting capacity 20mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*32CM
CBM:0.04m³

MOQ: 1000 PCS

GARDEN CUTTING TOOLS

FL-RC120C



1: 50# carbon steel blades with chrome plated, heat treatment HRC50+/-2
2: Nylon+ 30% fiber Anvil.
3: PP+15% fiber strong grip with TPR cushion.
4: ABS lock.
5: Product size: 22mm*61mm*225mm
6: Product weight: 164g+/-5%
7: Max. cutting capacity 6mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*32CM
CBM:0.04m³

MOQ: 1000 PCS

FL-RC122B



1: 65Mn High carbon steel Cutting blade with Teflon coating, heat treatment HRC54+/-2
2: 50C carbon steel lower blade with chrome plated, heat treatment HRC46+/-2
3: Nylon+ 30% fiber Anvil.
4: PP+ 15% fiber strong grip with TPR cushion.
5: Soft TPR bumper give the consumer the better cutting experience.
6: ABS button well control the open/lock and big/small open size.
7: Product size: 22mm*63mm*220mm
8: Product weight: 214g+/-5%
9: Max. cutting capacity 20mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*32CM
CBM:0.04m³

MOQ: 1000 PCS

GARDEN CUTTING TOOLS

FL-RC122A



1: 65Mn High carbon steel Cutting blade with Teflon coating, heat treatment HRC54+/-2
2: 50C carbon steel lower blade with chrome plated, heat treatment HRC46+/-2
3: PP+15% fiber strong grip with TPR cushion.
4: Soft TPR bumper give the consumer the better cutting experience.
5: ABS button well control the open/lock and big/small open size.
6: Product size: 22mm*63mm*220mm
7: Product weight: 214g+/-5%
8: Max. cutting capacity 20mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*32CM
CBM:0.04m³

MOQ: 1000 PCS

FL-RC122C



Floral Pruner
1: 50C carbon steel Cutting blade with hard chrome plating, heat treatment HRC50+/-2
2: PP+15% fiber strong grip with TPR cushion.
3: Soft TPR bumper give the consumer the better cutting experience.
4: ABS button well control the open/lock and big/small open size.
5: Product size: 225mm*63mm*22mm
6: Product weight: 214g+/-5%
7: Max. cutting capacity 6mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*32CM
CBM:0.04m³

MOQ: 1000 PCS

FL-RC125B



1: 65Mn High carbon steel Cutting blade with Teflon coating, heat treatment HRC54+/-2
2: 50C carbon steel lower blade with chrome plated, heat treatment HRC46+/-2
3: Nylon+ 30% fiber Anvil.
4: PP+ 15% fiber strong grip with TPR cushion.
5: ABS button well control the open/lock and big/small open size.
6: Max. cutting capacity 20mm
7: Product dimension: 20MM*68MM*208MM
8: Product weight: 207g+/-5%

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*32CM
CBM:0.04m³

MOQ: 1000 PCS

FL-RC125A



1: 65Mn High carbon steel Cutting blade with Teflon coating, heat treatment HRC54+/-2
2: 50C carbon steel lower blade with chrome plated, heat treatment HRC46+/-2
3: PP+ 15% fiber strong grip with TPR cushion.
4: ABS button well control the open/lock and big/small open size.
5: Max. cutting capacity 20mm
6: Product dimension: 20MM*68MM*208MM
7: Product weight: 207g+/-5%

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*32CM
CBM:0.04m³

MOQ: 1000 PCS

GARDEN CUTTING TOOLS

FL-121B



1: 65Mn High carbon steel Cutting blade with Teflon coating, heat treatment HRC54+/-2
2: 50C carbon steel lower blade with chrome plated, heat treatment HRC46+/-2
3: Nylon+ 30% fiber Anvil.
4: Aluminum die-casting handle with TPR grip.
5: ABS lock
6: Product size: 21mm*61mm*205mm
7: Product weight: 232g+/-5%
8: Max. cutting capacity 20mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*32CM
CBM:0.04m³

MOQ: 1000 PCS

FL-121A



1: 65Mn High carbon steel Cutting blade with Teflon coating, heat treatment HRC54+/-2
2: 50C carbon steel lower blade with chrome plated, heat treatment HRC46+/-2
3: Aluminum die-casting handle with TPR grip.
4: ABS lock
5: Product size: 21mm*61mm*205mm
6: Product weight: 230g+/-5%
7: Max. cutting capacity 20mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*32CM
CBM:0.04m³

MOQ: 1000 PCS

GARDEN CUTTING TOOLS

FL-121C



1: 50# carbon steel blades with chrome plated, heat treatment HRC50+/-2
2: Nylon+ 30% fiber Anvil.
3: Aluminum die-casting handle with TPR grip.
4: ABS lock
5: Product size: 21mm*61mm*225mm
6: Product weight: 220g+/-5%
7: Max. cutting capacity 6mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*32CM
CBM:0.04m³

MOQ: 1000 PCS

FL-131B



1: 65Mn High carbon steel Cutting blade with Teflon coating, heat treatment HRC54+/-2
2: 50C carbon steel lower blade with chrome plated, heat treatment HRC46+/-2
3: Aluminum alloyed handle with TPR grips.
4: POM lock, Nylon Anvil.
5: 65Mn spring with nickel plated.
6: Product size: 21*55*200MM.
7: Product weight: 200g+/-5%
8: Max. cutting capacity: 15MM.

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*32CM
CBM:0.04m³

MOQ: 1000 PCS

GARDEN CUTTING TOOLS

FL-RC131A



1: 65Mn High carbon steel Cutting blade with Teflon coating, heat treatment HRC54+/-2
2: 50C carbon steel lower blade with chrome plated, heat treatment HRC46+/-2
3: Aluminum alloyed handle with TPR grips.
4: POM lock.
5: 65Mn spring with nickel plated.
6: Product size: 21*55*203MM.
7: Product weight: 200g+/-5%
8: Max. cutting capacity: 15MM.

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*32CM
CBM:0.04m³

MOQ: 1000 PCS

FL-RC131C



1: 50# carbon steel with chrome plated, heat treatment HRC50+/-2
2: Aluminum alloyed handle with TPR grips.
3: POM lock.
4: 65Mn spring with nickel plated.
5: Product size: 21*55*217MM.
6: Product weight: 186g+/-5%
7: Max. cutting capacity: 6MM.

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*32CM
CBM:0.04m³

MOQ: 1000 PCS

FL-RC123B



1: 65Mn High carbon steel Cutting blade with Teflon coating, heat treatment HRC54+/-2
2: 50C carbon steel lower blade with chrome plated, heat treatment HRC46+/-2
3: Nylon+ 30% fiber Anvil.
4: Aluminum die-casting handle with ABS+ TPR grip.
5: Soft TPR bumper give the consumer the better cutting experience.
6: ABS button well control the open/lock and big/small open size.
7: Product size: 22mm*63mm*220mm
8: Product weight: 270g+/-5%
9: Max. cutting capacity 20mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*32CM
CBM:0.04m³

MOQ: 1000 PCS

FL-RC123A



1: 65Mn High carbon steel Cutting blade with Teflon coating, heat treatment HRC54+/-2
2: 50C carbon steel lower blade with chrome plated, heat treatment HRC46+/-2
3: Aluminum die-casting handle with ABS+ TPR grip.
4: Soft TPR bumper give the consumer the better cutting experience.
5: ABS button well control the open/lock and big/small open size.
6: Product size: 22mm*63mm*220mm
7: Product weight: 270g+/-5%
8: Max. cutting capacity 20mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*32CM
CBM:0.04m³

MOQ: 1000 PCS

FL-RG08



Grass shear with 360 degree head rotating
1: Upper blade: T2.5□50C carbon steel with Teflon coating, heat treatment for the whole blade HRC44-48, cutting edge harden HRC50-58
2: Lower blade: T2.5□50C carbon steel with chrome plated, heat treatment for the whole blade HRC44-48, cutting edge harden HRC50-58
3: ABS strong grip, with TPR cushion.
4: ABS rotating cap and lock.
5: Blade length(working length):130MM.
6: Aluminum shaft structure, more strong & easy to cutting.
7: Product size: 347*117*35mm
8: Product weight: 279g+/-5%

PACKAGING
sliding card
6PCS/INNER BOX
24PCS/CARTON
SIZE:41*36*42CM
CBM:0.06m³

MOQ: 1000 PCS

FL-RL2431A1



Bypass
5.0MM 65Mn High carbon steel Cutting blade,HRC54+/-2;
5.0MM 50C carbon steel lower blade,HRC46+/-2;
Steel handle with powder coating ,soft feel grip
Product size: 730mm
Product weight:1050g
Max. cutting capacity 35mm

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:77*35*10.5CM
CBM:0.03m³

MOQ: 1000 PCS

FL-RL2531A1



Anvil
5.0MM 65Mn High carbon steel Cutting blade,HRC54+/-2;
5.0MM 50C carbon steel lower blade, HRC46+/-2;
Steel handle with powder coating ,soft feel grip
Product size: 730mm
Product weight: 1100g
Max. cutting capacity 35mm

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:77*35*10.5CM
CBM:0.03m³

MOQ: 1000 PCS

FL-RL5731A2



1: 5.0MM 65Mn High carbon steel Cutting blade with Teflon coating, heat treatment HRC54+/-2;
2: 5.0MM 50C carbon steel lower blade with chrome plated, heat treatment HRC46+/-2;
3: Gear function for save power.
4: 1.3MM Aluminum handle with oxidation , PP+15% fiber +TPR grip.
5: Product size: 750mmx260mmx30mm
6: Product weight: 1130g+/-5%
7: Max. cutting capacity 40mm

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:77*35*10.5CM
CBM:0.03m³

MOQ: 1000 PCS

FL-RL5731A2



1: 5.0MM 65Mn High carbon steel Cutting blade with Teflon coating, heat treatment HRC54+/-2;
2: 5.0MM 50C carbon steel lower blade with chrome plated, heat treatment HRC46+/-2;
3: Gear function for save power.
4: 0.8MM Steel handle with powder coating, PP+15% fiber +TPR grip.
5: Product size: 750mmx260mmx30mm
6: Product weight: 1480g+/-5%
7: Max. cutting capacity 40mm

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:77*35*10.5CM
CBM:0.03m³

MOQ: 1000 PCS

FL-RL5831S2



1: 5.0MM 65Mn High carbon steel Cutting blade with Teflon coating, heat treatment HRC54+/-2;
2: 5.0MM 50C carbon steel lower blade with chrome plated, heat treatment HRC46+/-2;
3: Gear function for save power.
4: Aluminum die-casting Anvil.
5: 1.3MM Aluminum handle with oxidation, PP+15% fiber +TPR grip.
6: Product size: 755mmx235mmx30mm
7: Product weight: 1180g+/-5%
8: Max. cutting capacity 40mm

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:77*35*10.5CM
CBM:0.03m³

MOQ: 1000 PCS

FL-RL5831S2



1: 5.0MM 65Mn High carbon steel Cutting blade with Teflon coating, heat treatment HRC54+/-2;
2: 5.0MM 50C carbon steel lower blade with chrome plated, heat treatment HRC46+/-2;
3: Gear function for save power.
4: Aluminum die-casting Anvil.
5: 0.8MM Steel handle with powder coating, PP+15% fiber +TPR grip.
6: Product size: Product size: 755mmx235mmx30mm
7: Product weight: 1515g+/-5%
8: Max. cutting capacity 40mm

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:77*35*10.5CM
CBM:0.03m³

MOQ: 1000 PCS

FL-RL030335



Bypass Lopper
50# carbon steel cutting blade,HRC50+/-2
50# carbon steel lower blade ,HRC46+/-2
Steel handle with powder coating ,soft feel grip
Size:700mm
Weight about 1100g

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:77*35*10.5CM
CBM:0.03m³

MOQ: 1000 PCS

FL-RL240335



Bypass Lopper
50# carbon steel cutting blade,HRC50+/-2
50# carbon steel lower blade, HRC46+/-2
Steel handle with powder coating ,soft feel grip
size:705mm
Weight□1310g

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:77*35*10.5CM
CBM:0.03m³

MOQ: 1000 PCS

FL-RL250335



Anvil Lopper
50# carbon steel cutting blade,HRC50+/-2
50# carbon steel lower blade,HRC46+/-2
Steel handle with powder coating ,soft feel grip
size:705mm
Weight□1360g

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:77*35*10.5CM
CBM:0.03m³

MOQ: 1000 PCS

FL-RH6031A1



1: 50C carbon steel blade, thickness 4.0MM , the whole blade with heat treatment HRC46+/-2, the cutting edge with high frequency treatment HRC50-60, upper blade with Teflon coating, lower blade with chrome plated.
2: 1.3MM Aluminum handle with oxidation.
3: PP+15% fiber +TPR grips
4: Product size: 670x210x50mm
5: Product weight: 930g+/-5%
6: Max. cutting capacity: 6MM

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:77*35*10.5CM
CBM:0.03m³

MOQ: 1000 PCS

FL-RH310335



50# carbon steel blade, the cutting edge with high frequency treatment HRC50-60, upper blade and lower blade with polishing.
Oval steel handle with powder coating;
PP+TPR grip
Size:560mm
Weight:1100g

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:77*35*10.5CM
CBM:0.03m³

MOQ: 1000 PCS

FL-RH340335



50# carbon steel blade, wavy, the cutting edge with high frequency treatment HRC50-60, upper blade with Teflon coating, lower blade with polishing.
Oval steel handle with powder coating;
PP+TPR grip
Size:560mm
Weight:1100g

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:77*35*10.5CM
CBM:0.03m³

MOQ: 1000 PCS

FL-RC136A



1: 65Mn carbon steel blade with Black Teflon coating, heat treatment HRC54+/-2
2: 50C carbon steel with Grey Teflon coating, heat treatment HRC46+/-2
3: PP+15% fiber strong grip.
4: ABS lock.
5: Product size: 191*60*20mm
6: Product weight: 162g+/-5%
7: Max. cutting capacity 15mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*30cm
CBM:0.04m³

MOQ: 1000 PCS

FL-RC136B



1: 65Mn carbon steel blade with Black Teflon coating, heat treatment HRC54+/-2
2: 50C carbon steel with Grey Teflon coating, heat treatment HRC46+/-2
3: PP+15% fiber strong grip.
4: ABS lock. Nylon+15% fiber Anvil.
5: Product size: 191*67*20mm
6: Product weight: 170g+/-5%
7: Max. cutting capacity 15mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*30
CBM:0.04m³

MOQ: 1000 PCS

FL-RC136C



1: 50C carbon steel with Black Teflon coating, heat treatment HRC50+/-2
2: 50C carbon steel with Grey Teflon coating, heat treatment HRC50+/-2
3: PP+15% fiber strong grip.
4: ABS lock.
5: Product size: 191*60*20mm
6: Product weight: 156g+/-5%
7: Max. cutting capacity 6mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*30
CBM:0.04m³

MOQ: 1000 PCS

FL-RC137A



1: 65Mn carbon steel blade with Black Teflon coating, heat treatment HRC54+/-2
2: 50C carbon steel with Grey Teflon coating, heat treatment HRC46+/-2
3: PP+15% fiber strong grip with TPR cushion
4: ABS lock.
5: Product size: 198*63*20mm
6: Product weight: 184g+/-5%
7: Max. cutting capacity 15mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*30
CBM:0.04m³

MOQ: 1000 PCS

FL-137B



1: 65Mn carbon steel blade with Black Teflon coating, heat treatment HRC54+/-2
2: 50C carbon steel with Grey Teflon coating, heat treatment HRC46+/-2
3: PP+15% fiber strong grip with TPR cushion
4: ABS lock. Nylon+15% fiber Anvil.
5: Product size: 198*67*20mm
6: Product weight: 192g+/-5%
7: Max. cutting capacity 15mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*30
CBM:0.04m³

MOQ: 1000 PCS

FL-137C



1: 50C carbon steel with Black Teflon coating, heat treatment HRC50+/-2
2: 50C carbon steel with Grey Teflon coating, heat treatment HRC50+/-2
3: PP+15% fiber strong grip with TPR cushion4: ABS lock.
5: Product size: 198*63*20mm
6: Product weight: 177g+/-5%
7: Max. cutting capacity 6mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*30
CBM:0.04m³

MOQ: 1000 PCS

FL-RC138A



6” Mini Pruner
1: 65Mn Carbon steel blade with black Teflon coating, hardness HRC50+/-2.
2: 50C Carbon steel blade with grey Teflon coating, hardness HRC46+/-2
3: PP+15% fiber +TPR grips.
4: Blade overmolding with the handle.
5: ABS lock.
6: Product weight: 59g+/-5%
7: Product size: 12.5mm*46mm*152mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON

MOQ: 1000 PCS

FL-RC138C



6” Mini Snip
1: 50 Carbon steel blade with black Teflon coating, hardness HRC50+/-2.
2: 50C Carbon steel blade with grey Teflon coating, hardness HRC50+/-2
3: PP+15% fiber +TPR grips.
4: Blade overmolding with the handle.
5: ABS lock.
6: Product weight: 55g+/-5%
7: Product size: 12.5mm*46mm*152mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON

MOQ: 1000 PCS

FL-RC152A



1: 65Mn carbon steel blade with Black Teflon coating, heat treatment HRC54+/-2
2: 50C carbon steel with Grey Teflon coating, heat treatment HRC46+/-2
3: PP+15% fiber strong grip with TPR cushion.Finger hook for excellent cutting experience.
4: ABS lock with “Click” Mechanical feeling and Anti-self lock.
5: Product size: 202*81*22mm
6: Product weight: 203g+/-5%
7: Max. cutting capacity 15mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON

MOQ: 1000 PCS

FL-RC152B



1: 65Mn carbon steel blade with Black Teflon coating, heat treatment HRC54+/-2
2: 50C carbon steel with Grey Teflon coating, heat treatment HRC46+/-2
3: PP+15% fiber strong grip with TPR cushion.Finger hook for excellent cutting experience.
4: ABS lock with “Click” Mechanical feeling and Anti-self lock. Nylon+15% fiber Anvil.
5: Product size: 196*81*22mm
6: Product weight: 201g+/-5%
7: Max. cutting capacity 15mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON

MOQ: 1000 PCS

FL-RC152BC



1: 50C carbon steel with Black Teflon coating, heat treatment HRC50+/-2
2: 50C carbon steel with Grey Teflon coating, heat treatment HRC50+/-2
3: PP+15% fiber strong grip with TPR cushion.Finger hook for excellent cutting experience.
4: ABS lock with “Click” Mechanical feeling and Anti-self lock.
5: Product size: 202*81*22mm
6: Product weight: 189g+/-5%
7: Max. cutting capacity 6mm

PACKAGING
sliding card
12PCS/INNER BOX
48PCS/CARTON

MOQ: 1000 PCS

FL-RH650321



1: 50C carbon steel blade, thickness 4.0MM, the whole blade with heat treatment HRC46+/-2, the cutting edge with high frequency treatment HRC50-60, upper blade with BlackTeflon coating, lower blade with Grey Teflon coating.
2: Soft bumper provide better cutting experience.
3: 0.8 MM Steel handle with powder coating.
4: PP+15% fiber +TPR grips
5: Product size: 635*190*55mm
6: Product weight: 1030g+/-5%
7: Max. cutting capacity: 6MM

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:66*24.5*11CM
CBM:0.02m³

MOQ: 1000 PCS

FL-RH660321




1: 50C carbon steel blade, thickness 4.0MM, the whole blade with heat treatment HRC46+/-2, the cutting edge with high frequency treatment HRC50-60, upper blade with BlackTeflon coating, lower blade with Grey Teflon coating.
2: Soft bumper provide better cutting experience. Pulley structure for save power.
3: 0.8 MM Steel handle with powder coating.
4: PP+15% fiber +TPR grips
5: Product size: 640*185*50mm
6: Product weight: 990g+/-5%
7: Max. cutting capacity: 6MM

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:66*22*10CM
CBM:0.02m³

MOQ: 1000 PCS

FL-RH660621



1: 50C carbon steel blade, thickness 4.0MM, the whole blade with heat treatment HRC46+/-2, the cutting edge with high frequency treatment HRC50-60, upper blade with BlackTeflon coating, lower blade with Grey Teflon coating.
2: Soft bumper provide better cutting experience. Pulley structure for save power.
3: 2.2MM Aluminum handle with oxidation.
4: PP+15% fiber +TPR grips
5: Product size: 640*185*50mm
6: Product weight: 930g+/-5%
7: Max. cutting capacity: 6MM

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:66*22*10CM
CBM:0.02m³

MOQ: 1000 PCS

FL-RH661022



1: 50C carbon steel blade, thickness 4.0MM, the whole blade with heat treatment HRC46+/-2, the cutting edge with high frequency treatment HRC50-60, upper blade with BlackTeflon coating, lower blade with Grey Teflon coating.
2: Soft bumper provide better cutting experience. Pulley structure for save power.
3: Aluminum telescopic handle with oxidation, inner tube thickness 2.2MM, outter tube thickness 1.3MM. PP+15% fiber switch base, ABS telescopic lock.
4: PP+15% fiber +TPR grips
5: Product size: (710-910)*210*50mm
6: Product weight: 1200g+/-5%
7: Max. cutting capacity: 6MM

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:73*26.5*13CM
CBM:0.03m³

MOQ: 1000 PCS

FL-RL280321



1: 5.0MM 65Mn High carbon steel blade with Black Teflon coating, heat treatment HRC54+/-2
2: 5.0MM 50C carbon steel with Grey Teflon coating, heat treatment HRC46+/-2
3: Soft bumper provide better cutting experience.
4: 0.8MM Steel handle with powder coating, PP+15% fiber +TPR grip.
5: Product size: 725*245*30mm
6: Product weight: 1110g+/-5%
7: Max. cutting capacity 30mm

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:74*33*10CM
CBM:0.03m³

MOQ: 1000 PCS

FL-RL290321




1: 5.0MM 65Mn High carbon steel blade with Black Teflon coating, heat treatment HRC54+/-2
2: 5.0MM 50C carbon steel with Grey Teflon coating, heat treatment HRC46+/-2
3: Soft bumper provide better cutting experience.
4: Aluminum die-casting Anvil.
5: 0.8MM Steel handle with powder coating, PP+15% fiber +TPR grip.
6: Product size: Product size: 720*250*30mm
7: Product weight: 1120g+/-5%
8: Max. cutting capacity 30mm

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:74*33*10CM
CBM:0.03m³

MOQ: 1000 PCS

FL-RL630621




1: 5.0MM 65Mn High carbon steel blade with Black Teflon coating, heat treatment HRC54+/-2
2: 5.0MM 50C carbon steel with Grey Teflon coating, heat treatment HRC46+/-2
3: Soft bumper provide better cutting experience. Pulley structure for save power.
4: 2.2MM Aluminum handle with oxidation , PP+15% fiber +TPR grip.
5: Product size: 760*240*30mm
6: Product weight: 1220g+/-5%
7: Max. cutting capacity 40mm

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:78*32.5*10CM
CBM:0.03m³

MOQ: 1000 PCS

FL-RL640621




1: 5.0MM 65Mn High carbon steel blade with Black Teflon coating, heat treatment HRC54+/-2
2: 5.0MM 50C carbon steel with Grey Teflon coating, heat treatment HRC46+/-2
3: Soft bumper provide better cutting experience. Pulley structure for save power.
4: Aluminum die-casting Anvil.
5: 2.2MM Aluminum handle with oxidation, PP+15% fiber +TPR grip.
6: Product size: 765*240*30mm
7: Product weight: 1280g+/-5%
8: Max. cutting capacity 40mm

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:78.5*33*10CM
CBM:0.03m³

MOQ: 1000 PCS

FL-RL631022




1: 5.0MM 65Mn High carbon steel blade with Black Teflon coating, heat treatment HRC54+/-2
2: 5.0MM 50C carbon steel with Grey Teflon coating, heat treatment HRC46+/-2
3: Soft bumper provide better cutting experience. Pulley structure for save power.
4: Aluminum telescopic handle with oxidation, inner tube thickness 2.2MM, outter tube thickness 1.3MM, PP+15% fiber switch base, ABS telescopic lock.
5: PP+15% fiber +TPR grip.
6: Product size: (710-960)*230*40mm
7: Product weight: 1430g+/-5%
8: Max. cutting capacity 40mm

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:71*29*12.5CM
CBM:0.03m³

MOQ: 1000 PCS

FL-RL641022



1: 5.0MM 65Mn High carbon steel blade with Black Teflon coating, heat treatment HRC54+/-2
2: 5.0MM 50C carbon steel with Grey Teflon coating, heat treatment HRC46+/-2
3: Soft bumper provide better cutting experience. Pulley structure for save power.
4: Aluminum die-casting Anvil
5: Aluminum telescopic handle with oxidation, inner tube thickness 2.2MM, outter tube thickness 1.3MM, PP+15% fiber switch base, ABS telescopic lock.
6: PP+15% fiber +TPR grip.
7: Product size: (715-965)*240*40mm
8: Product weight: 1490g+/-5%
9: Max. cutting capacity 40mm

PACKAGING
pouch+card on handle
6PCS/CARTON
SIZE:74*32*12.5CM
CBM:0.03m³

MOQ: 1000 PCS

GARDEN CUTTING TOOLS

FL-48



Size:23.5*7.5*9cm□
Weight□154g□
Thickness□3.5mm□
Material□PP+TPR+stainless steel

PACKAGING
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*30
CBM:0.04m³

MOQ: 1000 PCS

FL-49

Material□PP+TPR+stainless steel



PACKAGING
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*30
CBM:0.04m³

MOQ: 1000 PCS

GARDEN CUTTING TOOLS

FL-50



Stainless steel blade with polishing
Aluminium handle with powder coating
Size:155mm
Weight:98g

PACKAGING
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*30
CBM:0.04m³

MOQ: 1000 PCS

FL-DS02



Blade material: SK5
Handle material: aluminium alloy

PACKAGING
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*30
CBM:0.04m³

MOQ: 1000 PCS

FL-QQ01



Forging secateurs
Size□6"

MOQ: 1000 PCS

FL-QQ01



Forging secateurs
Size:8"

MOQ: 1000 PCS

FL-QQ03



Forging secateurs
Size□7"

MOQ: 1000 PCS

FL-QQ03



Forging secateurs
Size□8"

MOQ: 1000 PCS

FL-QQ03



Forging secateurs
Size□9"

MOQ: 1000 PCS

FL-QQ03



Forging secateurs
Size□10"

MOQ: 1000 PCS

GARDEN CUTTING TOOLS

FL-JY01



Forging secateurs
Size: 8“

PACKAGING
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*30
CBM:0.04m³

MOQ: 1000 PCS

FL-JY02



Forging secateurs
Size: 9.5"

PACKAGING
12PCS/INNER BOX
48PCS/CARTON
SIZE:38*29*30
CBM:0.04m³

MOQ: 1000 PCS

LET’S GROW TOGETHER.

Garden cutting tools

Email: juana@hzflourish.com

Mobile: +86 13757157075

HANGZHOU FLOURISH TOOLS LTD.

Your Garden & Your Life